

Phone/Fax: 562.693.0112 Email: info@almanufacturing.com

Email: inio@aimanufacturing.com
Web: www.almanufacturing.com

GRATES FOR GAS LOG FIREPLACES

Made from 1/2" square bar (measured at the diamond). These steel grates do not have center legs.



Part#	Size	Teeth	Weight (Lbs)
ALG18	A=18.5", B=17", C=15""	4-bar	8.00
ALG24	A=23.5", B=21.5", C=15"	5-bar	9.75
ALG30	A=28", B=25.5", C=15"	6-bar	11.50
ALG36	A=32", B=29.5", C=15"	7-bar	13.25



Phone/Fax: 562.693.0112 Email: info@almanufacturing.com

Web: www.almanufacturing.com

GRATES, FREE-STANDING & ZERO CLEARANCE FIREPLACES

Made from 5/8" square bar (measured at the diamond). These steel grates are 12" deep and they all have center legs except for the 11" model.



Part#	Size	Teeth	Weight (Lbs)
ALZ11	A=13.75", B12.5"=, C=12"	4-bar	10.00
ALZ15	A=17", B=16", C=12"	5-bar	13.00
ALZ19	A=20.5", B=19", C=12"	6-bar	15.25
ALZ23	A=23.75", B=22.5", C=12"	7-bar	17.75
ALZ27	A=27.5", B=25.5", C=12"	8-bar	20.00



Phone/Fax: 562.693.0112 Email: info@almanufacturing.com

Web: www.almanufacturing.com

GRATES FOR MANSONRY FIREPLACES

Made from 5/8" square bar or 3/4" square bar (measured at the diamond). These steel grates are 16" deep and all have center legs except for the 18" (ALHD18) model.



Part#	Size	Teeth	Weight (Lbs)	Square Bar Size
ALHD18	A=19", B=17.5", C=16"	4-bar	13.00	5/8"
ALHD24	A=25.25", B=22.75", C=16"	6-bar	20.00	5/8"
ALHD27	A=28.5", B=26.75", C=16"	7-bar	22.00	5/8"
ALHD32	A=33.25", B=31.5", C=16"	8-bar	25.00	5/8"
ALHD36	A=38", B=35", C=16"	9-bar	28.00	5/8"
ALHD40	A=42", B=39.5", C=16"	10-bar	32.00	5/8"
ALHD45	A=48", B=45.5", C=16"	11-bar	34.00	5/8"
ALHD48	A=50", B=48", C=16"	12-bar	38.00	5/8"
ALHD54	A=55", B=52", C=16"	13-bar	40.00	5/8"
ALHD57	A=56", B=54", C=16"	14-bar	44.00	5/8"
ALHDX18	A=19", B=17.5", C=16"	4-bar	19.10	3/4"
ALHDX24	A=25.25", B=22.75, C=16"	6-bar	29.25	3/4"
ALHDX27	A=28.5", B=26.75, C=16"	7-bar	31.80	3/4"

Custom Fireplace Grates, Log Lighters, Fire Rings and Fire Stars are available.



Phone/Fax: 562.693.0112 Email: info@almanufacturing.com

Web: www.almanufacturing.com

GRATES FOR EXTREMELY TAPERED FIREPLACES

Made from 5/8" square bar (measured at the diamond). These steel grates are 14" deep and they all have center leg.



Part#	Size	Teeth	Weight (Lbs)
ALT22	A=22.5", B=16.5", C=14"	6-bar	16.00
ALT27	A=27.5", B=22.5", C=14"	8-bar	20.50




Phone/Fax: 562.693.0112

Email: info@almanufacturing.com Web: www.almanufacturing.com

MULTI-BAR GRATES

Made from 5/8" square bar or 3/4" square bar (measured at the diamond). These multi-bar steel grates are 16" deep, all have center legs and include extra teeth for less wood waste.



				Square Bar
Part#	Size	Teeth	Weight (Lbs)	Size
ALM18	A=19", B=17.5", C=16"	6-bar	18.00	5/8"
ALM24	A=25", B=22.75", C=16"	8-bar	22.75	5/8"
ALM27	A=28.5"", B=26.75", C=16"	9-bar	25.75	5/8"
ALMX18	A=19", B=17.5, C=16"	6-bar	26.00	3/4"
ALMX24	A=25", B=22.75, C=16"	8-bar	33.50	3/4"
ALMX27	A=28.5", B=26.75", C=16"	9-bar	37.50	3/4"


Custom Fireplace Grates, Log Lighters, Fire Rings and Fire Stars are available.



Phone/Fax: 562.693.0112 Email: info@almanufacturing.com Web: www.almanufacturing.com

EXTREME MULTI-BAR GRATES

Made from 5/8" square bar (measured at the diamond). These multi-bar steel grates are 16" deep, all have center legs and include MANY extra teeth for less wood waste.



Part#	Size	Teeth	Weight (Lbs)
JES18	A=19", B=17.5", C=16"	7-bar	19.50
JES24	A=25.25", B=22.75", C=16"	11-bar	28.50
JES27	A=28.5", B=26.75", C=16"	13-bar	33.00
JES32	A=33.25", B=31.5", C=16"	15-bar	38.00
JES36	A=38", B=35", C=16"	17-bar	43.00
JES48	A=50", B=48", C=16"	23-bar	58.00




Phone/Fax: 562.693.0112

Email: info@almanufacturing.com Web: www.almanufacturing.com

MILD STEEL U-SHAPED BURNER

Log Lighter U-shaped Burners are made from $\frac{1}{2}$ " mild steel pipe and have a $\frac{1}{2}$ " male NPT connection. Two rows of holes are drilled and offset by 90° in order to create a larger flame bed than what single drilled holes would produce.

Natural gas applications only.



Part#	Size	Options
AL12UB	12" Length	Mild Steel, Super Duty
AL18UB	18" Length	Mild Steel, Super Duty
AL24UB	24" Length	Mild Steel, Super Duty
AL30UB	30" Length	Mild Steel, Super Duty
AL36UB	36" Length	Mild Steel, Super Duty




Phone/Fax: 562.693.0112

Email: info@almanufacturing.com Web: www.almanufacturing.com

MILD STEEL LOG LIGHTER BURNER (V-HOLE)

Log Lighter Burners are made from $\frac{1}{2}$ " mild steel pipe and have a $\frac{1}{2}$ " male NPT connection. Two rows of holes are drilled and offset by 90° in order to create a larger flame bed than what single drilled holes would produce.

Natural gas applications only.



Part#	Size	Options
FL12LL	12" Length	Mild Steel, Super Duty
FL18LL	18" Length	Mild Steel, Super Duty
FL24LL	24" Length	Mild Steel, Super Duty
FL30LL	30" Length	Mild Steel, Super Duty
FL36LL	36" Length	Mild Steel, Super Duty




Phone/Fax: 562.693.0112

Email: info@almanufacturing.com Web: www.almanufacturing.com

MILD STEEL LOG LIGHTER BURNERS

Log Lighter Burners are made from ½" mild steel pipe and have a ½" male NPT connection.

Natural gas applications only.



Part#	Size	Options
AL10LL	10" Length	Mild Steel, Super Duty
AL12LL	12" Length	Mild Steel, Super Duty
AL18LL	18" Length	Mild Steel, Super Duty
AL24LL	24" Length	Mild Steel, Super Duty
AL30LL	30" Length	Mild Steel, Super Duty
AL36LL	36" Length	Mild Steel, Super Duty




Phone/Fax: 562.693.0112 Email: info@almanufacturing.com

Web: www.almanufacturing.com

STAINLESS STEEL LOG LIGHTER BURNER (V-HOLE)

Log Lighter Burners are made from ½" stainless steel pipe and have a ½" male NPT connection. Two rows of holes are drilled and offset by 90° in order to create a larger flame bed than what single drilled holes would produce.

Natural gas applications only.



Part#	Size	Options
FL12LLSS	12" Length	Stainless Steel, Super Duty
FL18LLSS	18" Length	Stainless Steel, Super Duty
FL24LLSS	24" Length	Stainless Steel, Super Duty
FL30LLSS	30" Length	Stainless Steel, Super Duty
FL36LLSS	36" Length	Stainless Steel, Super Duty




Phone/Fax: 562.693.0112

Email: info@almanufacturing.com Web: www.almanufacturing.com

STAINLESS STEEL LOG LIGHTER BURNERS

Log Lighter Burners are made from ½" stainless steel pipe and have a ½" male NPT connection.

Natural gas applications only.



Part#	Size	Options
AL10SS	10" Length	Stainless Steel, Super Duty
AL12SS	12" Length	Stainless Steel, Super Duty
AL18SS	18" Length	Stainless Steel, Super Duty
AL24SS	24" Length	Stainless Steel, Super Duty
AL30SS	30" Length	Stainless Steel, Super Duty
AL36SS	36" Length	Stainless Steel, Super Duty




Phone/Fax: 562.693.0112


Email: info@almanufacturing.com Web: www.almanufacturing.com

LINEAR BURNERS

HC (High Capacity 3/4")	MS (Mild Steel)	SS (Stainless Steel)
SD (Super Duty)	SF (Side Feed)	BF (Bottom Feed)

Burners have a ½" male NPT connection (HC burners have a ¾" male NPT connection)





Part# (add -SF or -BF)	Size	Options
AL12LIN-MS-SD	12"	Mild Steel, Super Duty
AL12LIN-SS-SD	12"	Stainless Steel, Super Duty
AL18LIN-MS-SD	18"	Mild Steel, Super Duty
AL18LIN-SS-SD	18"	Stainless Steel, Super Duty
AL24LIN-MS-SD	24"	Mild Steel, Super Duty
AL24LIN-SS-SD	24"	Stainless Steel, Super Duty
AL30LIN-MS-SD	30"	Mild Steel, Super Duty
AL30LIN-SS-SD	30"	Stainless Steel, Super Duty
AL36LIN-MS-SD	36"	Mild Steel, Super Duty
AL36LIN-SS-SD	36"	Stainless Steel, Super Duty
AL44LIN-MS-SD	44"	Mild Steel, Super Duty
AL44LIN-SS-SD	44"	Stainless Steel, Super Duty
AL50LIN-MS-SD	50"	Mild Steel, Super Duty
AL50LIN-SS-SD	50"	Stainless Steel, Super Duty
AL56LIN-HC-MS-SD	56"	High Capacity, Mild Steel, Super Duty
AL56LIN-HC-SS-SD	56"	High Capacity, Stainless Steel, Super Duty
AL62LIN-HC-MS-SD	62"	High Capacity, Mild Steel, Super Duty
AL62LIN-HC-SS-SD	62"	High Capacity, Stainless Steel, Super Duty
AL68LIN-HC-MS-SD	68"	High Capacity, Mild Steel, Super Duty
AL68LIN-HC-SS-SD	68"	High Capacity, Stainless Steel, Super Duty

Custom Fireplace Grates, Log Lighters, Fire Rings and Fire Stars are available.




Phone/Fax: 562.693.0112

Email: info@almanufacturing.com Web: www.almanufacturing.com

H-SHAPED BURNERS

HC (High Capacity 3/4")	MS (Mild Steel)	SS (Stainless Steel)
SD (Super Duty)		

Burners have a ½" male NPT connection (HC burners have a ¾" male NPT connection)



Part#	Size	Options
AL12-18HBRN-MS-SD	A=12", B=18", C=6"	Mild Steel, Super Duty
AL12-18HBRN-SS-SD	A=12", B=18", C=6"	Stainless Steel, Super Duty
AL18-24HBRN-MS-SD	A=18", B=24", C=6"	Mild Steel, Super Duty
AL18-24HBRN-SS-SD	A=18", B=24", C=6"	Stainless Steel, Super Duty
AL24-30HBRN-MS-SD	A=24", B=30", C=6"	Mild Steel, Super Duty
AL24-30HBRN-SS-SD	A=24", B=30", C=6"	Stainless Steel, Super Duty
AL30-36HBRN-MS-SD	A=30", B=36", C=6"	Mild Steel, Super Duty
AL30-36HBRN-SS-SD	A=30", B=36", C=6"	Stainless Steel, Super Duty

Custom Fireplace Grates, Log Lighters, Fire Rings and Fire Stars are available.




Phone/Fax: 562.693.0112

Email: info@almanufacturing.com Web: www.almanufacturing.com

H-SHAPED BURNERS

HC (High Capacity 3/4")	MS (Mild Steel)	SS (Stainless Steel)	
SD (Super Duty)			

Burners have a ½" male NPT connection (HC burners have a ¾" male NPT connection)



Part#	Size	Options
AL12HBRN-MS-SD	A=12", C=6"	Mild Steel, Super Duty
AL12HBRN-SS-SD	A=12", C=6"	Stainless Steel, Super Duty
AL18HBRN-MS-SD	A=18", C=6"	Mild Steel, Super Duty
AL18HBRN-SS-SD	A=18", C=6"	Stainless Steel, Super Duty
AL24HBRN-MS-SD	A=24", C=6"	Mild Steel, Super Duty
AL24HBRN-SS-SD	A=24", C=6"	Stainless Steel, Super Duty
AL30HBRN-MS-SD	A=30", C=6"	Mild Steel, Super Duty
AL30HBRN-SS-SD	A=30", C=6"	Stainless Steel, Super Duty




Phone/Fax: 562.693.0112

Email: info@almanufacturing.com Web: www.almanufacturing.com

H-SHAPED BURNERS

HC (High Capacity 3/4") MS (Mild Steel) SS (Stainless Steel) SD (Super Duty)

Burners have a ½" male NPT connection (HC burners have a ¾" male NPT connection)



Part#	Size	Options
AL36HBRN-MS-SD	A=36", C=6"	Mild Steel, Super Duty
AL36HBRN-SS-SD	A=36", C=6"	Stainless Steel, Super Duty
AL44HBRN-MS-SD	A=44", C=6"	Mild Steel, Super Duty
AL44HBRN-SS-SD	A=44", C=6"	Stainless Steel, Super Duty
AL50HBRN-MS-SD	A=50", C=6"	Mild Steel, Super Duty
AL50HBRN-SS-SD	A=50", C=6"	Stainless Steel, Super Duty
AL56HBRN-MS-SD	A=56", C=6"	Mild Steel, Super Duty
AL56HBRN-SS-SD	A=56", C=6"	Stainless Steel, Super Duty
AL62HBRN-HC-MS-SD	A=62", C=6"	High Capacity, Mild Steel, Super Duty
AL62HBRN-HC-SS-SD	A=62", C=6"	High Capacity, Stainless Steel, Super Duty
AL68HBRN-HC-MS-SD	A=68", C=6"	High Capacity, Mild Steel, Super Duty
AL68HBRN-HC-SS-SD	A=68", C=6"	High Capacity, Stainless Steel, Super Duty

Custom Fireplace Grates, Log Lighters, Fire Rings and Fire Stars are available.




Phone/Fax: 562.693.0112 Email: info@almanufacturing.com

Web: www.almanufacturing.com

TRIPLE H-SHAPED BURNERS

HC (High Capacity 3/4")	MS (Mild Steel)	SS (Stainless Steel)	
SD (Super Duty)			

Burners have a ½" male NPT connection (HC burners have a ¾" male NPT connection)



Part#	Size	Options
AL12H2BRN-MS-SD	A=12", C=11"	Mild Steel, Super Duty
AL12H2BRN-SS-SD	A=12", C=11"	Stainless Steel, Super Duty
AL18H2BRN-MS-SD	A=18", C=11"	Mild Steel, Super Duty
AL18H2BRN-SS-SD	A=18", C=11"	Stainless Steel, Super Duty
AL24H2BRN-MS-SD	A=24", C=11"	Mild Steel, Super Duty
AL24H2BRN-SS-SD	A=24", C=11"	Stainless Steel, Super Duty
AL30H2BRN-MS-SD	A=30", C=11"	Mild Steel, Super Duty
AL30H2BRN-SS-SD	A=30", C=11"	Stainless Steel, Super Duty

Custom Fireplace Grates, Log Lighters, Fire Rings and Fire Stars are available. These prices are for pick up at the factory – FOB (origin).

Prices are subject to change without notice.




Phone/Fax: 562.693.0112

Email: info@almanufacturing.com Web: www.almanufacturing.com

TRIPLE H-SHAPED BURNERS

HC (High Capacity 3/4")	MS (Mild Steel)	SS (Stainless Steel)	
SD (Super Duty)			

Burners have a ½" male NPT connection (HC burners have a ¾" male NPT connection)



Part#	Size	Options
AL36H2BRN-HC-MS-SD	A=36", C=11"	High Capacity, Mild Steel, Super Duty
AL36H2BRN-HC-SS-SD	A=36", C=11"	High Capacity, Stainless Steel, Super Duty
AL40H2BRN-HC-MS-SD	A=40", C=11"	High Capacity, Mild Steel, Super Duty
AL40H2BRN-HC-SS-SD	A=40", C=11"	High Capacity, Stainless Steel, Super Duty
AL44H2BRN-HC-MS-SD	A=44", C=11"	High Capacity, Mild Steel, Super Duty
AL44H2BRN-HC-SS-SD	A=44", C=11"	High Capacity, Stainless Steel, Super Duty
AL50H2BRN-HC-MS-SD	A=50", C=11"	High Capacity, Mild Steel, Super Duty
AL50H2BRN-HC-SS-SD	A=50", C=11"	High Capacity, Stainless Steel, Super Duty
AL56H2BRN-HC-MS-SD	A=56", C=11"	High Capacity, Mild Steel, Super Duty
AL56H2BRN-HC-SS-SD	A=56", C=11"	High Capacity, Stainless Steel, Super Duty
AL62H2BRN-HC-MS-SD	A=62", C=11"	High Capacity, Mild Steel, Super Duty
AL62H2BRN-HC-SS-SD	A=62", C=11"	High Capacity, Stainless Steel, Super Duty
AL68H2BRN-HC-MS-SD	A=68", C=11"	High Capacity, Mild Steel, Super Duty
AL68H2BRN-HC-SS-SD	A=68", C=11"	High Capacity, Stainless Steel, Super Duty

Custom Fireplace Grates, Log Lighters, Fire Rings and Fire Stars are available.




Phone/Fax: 562.693.0112

Email: info@almanufacturing.com Web: www.almanufacturing.com

FIRE RING BURNERS

SS (Stainless Steel)

Fire Rings are ½" mild steel or stainless steel pipe and have a ½" female NPT connection with a plug. Natural gas applications only.



Part#	Size	Options	# of Rings
AL12FR	12" Diameter	Mild Steel, Super Duty	1
AL12FRSS	12" Diameter	Stainless Steel, Super Duty	1
AL18FR	18" Diameter	Mild Steel, Super Duty	1
AL18FRSS	18" Diameter	Stainless Steel, Super Duty	1
AL22FR	22" Diameter	Mild Steel, Super Duty	2
AL22FRSS	22" Diameter	Stainless Steel, Super Duty	2
AL24FR	24" Diameter	Mild Steel, Super Duty	2
AL24FRSS	24" Diameter	Stainless Steel, Super Duty	2
AL30FR	30" Diameter	Mild Steel, Super Duty	2
AL30FRSS	30" Diameter	Stainless Steel, Super Duty	2
AL36FR	36" Diameter	Mild Steel, Super Duty	2
AL36FRSS	36" Diameter	Stainless Steel, Super Duty	2

Custom Fireplace Grates, Log Lighters, Fire Rings and Fire Stars are available.



Phone/Fax: 562.693.0112 Email: info@almanufacturing.com Web: www.almanufacturing.com

FIRE STAR BURNERS

SS (Stainless Steel)

Burners have a ½" female NPT connection. Natural gas applications only.



Part#	Size	Options	# of Points
AL12STAR	12" Diameter	Mild Steel, Super Duty	5
AL12STARSS	12" Diameter	Stainless Steel, Super Duty	5
AL18STAR	18" Diameter	Mild Steel, Super Duty	5
AL18STARSS	18" Diameter	Stainless Steel, Super Duty	5
AL22STAR	22" Diameter	Mild Steel, Super Duty	5
AL22STARSS	22" Diameter	Stainless Steel, Super Duty	5
AL24STAR	24" Diameter	Mild Steel, Super Duty	5
AL24STARSS	24" Diameter	Stainless Steel, Super Duty	5
AL30STAR	30" Diameter	Mild Steel, Super Duty	5
AL30STARSS	30" Diameter	Stainless Steel, Super Duty	5
AL36STAR	36" Diameter	Mild Steel, Super Duty	5
AL36STARSS	36" Diameter	Stainless Steel, Super Duty	5
AL12STAR6	12" Diameter	Mild Steel, Super Duty	6
AL12STAR6SS	12" Diameter	Stainless Steel, Super Duty	6
AL18STAR6	18" Diameter	Mild Steel, Super Duty	6
AL18STAR6SS	18" Diameter	Stainless Steel, Super Duty	6
AL22STAR6	22" Diameter	Mild Steel, Super Duty	6
AL22STAR6SS	22" Diameter	Stainless Steel, Super Duty	6
AL24STAR6	24" Diameter	Mild Steel, Super Duty	6
AL24STAR6SS	24" Diameter	Stainless Steel, Super Duty	6
AL30STAR6	30" Diameter	Mild Steel, Super Duty	6
AL30STAR6SS	30" Diameter	Stainless Steel, Super Duty	6
AL36STAR6	36" Diameter	Mild Steel, Super Duty	6
AL36STAR6SS	36" Diameter	Stainless Steel, Super Duty	6

Custom Fireplace Grates, Log Lighters, Fire Rings and Fire Stars are available. These prices are for pick up at the factory – FOB (origin).

Prices are subject to change without notice.